## Drill 2

Answers can be found in Part IV.

a. 
$$3^3 \times 3^2 =$$
\_\_\_\_\_

b. 
$$\frac{3^3}{3^2} =$$
\_\_\_\_\_

c. 
$$(3^3)^2 =$$
\_\_\_\_\_

d. 
$$x^6 \times x^2 =$$
\_\_\_\_\_

e. 
$$\frac{x^6}{x^2} =$$
\_\_\_\_\_\_

f. 
$$(x^6)^2 =$$
\_\_\_\_\_

g. 
$$\sqrt{8} =$$
\_\_\_\_\_

h. 
$$\sqrt[3]{-64} =$$
\_\_\_\_\_

i. 
$$\sqrt{12} + 5\sqrt{3} =$$
\_\_\_\_\_

j. 
$$\sqrt{y^3} =$$
\_\_\_\_\_\_

k. 
$$\sqrt[3]{-y^3} =$$
\_\_\_\_\_

$$1. \quad \sqrt{x^2 y} + 5x\sqrt{y} = \underline{\hspace{1cm}}$$

## 3

If  $3^4 = 9^x$ , what is the value of x?

- A) 2
- B) 3
- C) 4
- D) 5



6

$$\sqrt{m^2 + 39} = 8$$

In the equation above, what is a possible value of m?

- A) 3
- B) 4
- C) 5
- D) 6

If  $(3^x)^3 = 3^{15}$ , what is the value of x?

- A) 3
- B) 5
- C) 7
- D) 9



If  $x^y x^6 = x^{54}$  and  $\left(x^3\right)^z = x^9$ , what is the value of y + z?

- B) 12
- C) 48
- D) 51

If  $\sqrt{s} - 3 = 9$ , which of the following is a possible value of s?

- 36 B)
- C) 81
- D) 144

Which of the following is equivalent to the expression

$$x^6y^{-3}z^{\frac{1}{2}}$$
?

- C)  $\frac{6x\sqrt{z}}{y^3}$
- $D) \frac{x^6 \sqrt{z}}{y^3}$



9

Which of the following expressions is equivalent to  $\sqrt[4]{81b^3c}$  ?

- A)  $3b^{\frac{3}{4}}c^{\frac{1}{4}}$
- B)  $3b^{3}c$
- $20.25b^{\frac{3}{4}}c^{\frac{1}{4}}$
- D)  $20.25b^3c$

12

The function  $f(x) = k^{0.3x}$ , where k is a constant, can also be expressed as  $f(x) = k^{\frac{Bx}{9}}$  for what value of B?

- A) 2.7
- 9.3 B)
- C) 27
- D) 30



10

If  $x^{-2} = 8x$ , which of the following could be the value of x?

- A) 2
- B) 4
- C) 6
- D) 8



11

Which of the following expressions is equivalent to

$$\left(3m^2n^{-3}\right)^{\frac{2}{3}}$$
?

- A)  $2m^{\frac{4}{3}}n^{-2}$
- B)  $\sqrt[3]{9}m^{\frac{4}{3}}n^{-2}$
- C)  $3m^{\frac{4}{3}}n^{-2}$
- D)  $3m^4n^{-6}$



16

$$b\sqrt[3]{64a^{\frac{b}{2}}} = \left(4\sqrt{3}a\right)^2$$

Which of the following values of b makes the equation above true?

- A) 4
- B)
- 8 C)
- D) 12



Which of the following shows the expression  $\frac{9 \cdot 8^y}{5 \cdot 16^{y + \frac{1}{2}}}$  in the form of  $A \cdot (B)^y$ ?

- A)  $\frac{9}{20} \cdot \left(\frac{1}{2}\right)^y$
- B)  $\frac{9}{10} \cdot (1)^{\frac{y}{2}}$
- C)  $\frac{9}{5} \cdot \left(\frac{1}{2}\right)^{\frac{y}{2}}$
- D)  $\frac{9}{5} \cdot \left(\frac{1}{2}\right)^y$